



ZHONGSHAN CYAN GOURD LIGHTING CO., LTD



UNDERWATER LIGHTING MANUFACTURER

LED UNDERWATER LIGHT FOR POOL / ISPA / PATIO

RESIN FILLED POOL LIGHT




Advantage

- IP68 waterproof.
- Easy to install.
- ABS housing, corrosion resistant.
- More than 50,000 hours of life.






Light effects



Easy installation

01. Put the pool light into conduit.
02. Lock the ending of the pool light into conduit.
03. Cover the frame into the pool light.
04. Fix the two screws with the pool light.



Model	Power	Voltage	LED Type	Size	Material
QHL-YC165-AP	12W	AC12V	SMD2835	Φ165*H25mm	ABS+PC
QHL-YC205-AP	18W/25W/35W	AC12V	SMD2835	Φ205*H25mm	ABS+PC

Cable: 2M (Support Customization)



316SS LED POOL LIGHT




Advantage:


- Fully resin filled, 100% waterproof.
- 316 stainless steel for marine water.
- Very firm and reliable structure.
- Easy to install: Nicheless ---install directly on Wall.
- Widely used in swimming pool, fountains, ponds.



Easy installation



Lamp wiring diagram



Model	Power	Voltage	LED Type	Size	Material
QHL-YC165-SP	12W/18W	AC12V	SMD2835	Φ165*H25mm	Stainless Steel+PC


Cable: 2M (Support Customization)

WALL MOUNTED POOL UNDERWATER LIGHT





Advantage

- Easy to install: Nicheless ---install directly on Wall.
- Very firm and reliable structure.
- VDE approved cable can be submersible underwater.
- Widely used in swimming pool, fountains, ponds, waterfall.



Easy installation



Light effects



Model	Power	Voltage	LED Type	Size	Material
QHL-YC230-AP	18W/25W/35W	AC12V	SMD2835	Φ250*H40mm	ABS+PC

Cable: 2M (Support Customization)

HOT SELLING LED POOL LIGHT



Advantage

- IP68 waterproof level, 100% waterproof.
- Works for concrete pool and liner pool.
- Nicheless---directly install on the wall, easy to install.
- 50,000 hours lifetime, 10 times more than halogen bulb.




Easy installation




01. Drill a hole



02. Fix the plastic tube into the hole



03. Fix the screw on the bracket



04. Match the light into the PC bracket



05. Twist the screw on the PC bracket



06. Done

Model	Power	Voltage	LED Type	Size	Material
QHL-YC260-AP	18W/25W/35W	AC12V	SMD2835	Φ260*H40mm	ABS+PC

Cable: 2M (Support Customization)



RESIN FILLED LED POOL LIGHT



RGB



IP68



50000H

Two styles available



RGB style



Warm white style

Advantage

- IP68 waterproof level, 100% waterproof.
- Works for concrete pool and liner pool.
- Nicheless---directly install on the wall, easy to install.
- 50,000 hours lifetime, 10 times more than halogen bulb.



Light effects



CW



WW



Red



Green



Blue



Yellow




RGB



RGBW

Easy installation



Model	Power	Voltage	LED Type	Size	Material
QHL-YC260-2AP	18W/25W/35W/45W	AC12V	SMD2835	Φ260*H40mm	ABS+PC

Cable: 2M (Support Customization)

RESIN FILLED LED POOL LIGHT



Advantage

- IP68 waterproof level, 100% waterproof.
- Works for concrete pool and liner pool.
- Nicheless---directly install on the wall, easy to install.
- 50,000 hours lifetime, 10 times more than halogen bulb.



Two styles available




RGB style



Warm white style

Easy installation



Light effects



Model	Power	Voltage	LED Type	Size	Material
QHL-YC260-3AP	18W/25W/35W/45W	AC12V	SMD2835	Φ260*H40mm	ABS+PC

Cable: 2M (Support Customization)

RESIN FILLED SURFACE-MOUNTED POOL LIGHT



Advantage

Wall-mounted

Easy and fast installation


- Full resin filled, 100% waterproof.
- Nicheless---directly install on the wall, easy to install.
- Works for concrete pool and liner pool.
- 50,000 hours lifetime, 10 times more than halogen bulb.



RGB style



Warm white style




Φ280mm



H40mm

RGB multi-color display


Suitable for a variety of scenarios



Model	Power	Voltage	LED Type	Size	Material
QHL-YC280-AP	18W/25W/35W/45W	AC12V	SMD2835	Φ280*H40mm	ABS+PC

Cable: 2M (Support Customization)

STAINLESS STEEL SURFACE MOUNTED POOL LIGHT



Stainless Steel
Corrosion resistant



SMD 2835
Highlight Long lifespan



IP68
Waterproof



RGB
RGB Lighting Effect



Two styles available



Blue border



White border

Stainless steel

Stainless Steel lamp body. High temperature resistant.
Anti-oxidant & anti-corrosion treatment

Light effects



CW



WW



Red



Green



Blue



Yellow



RGB



RGBW

Peer comparison



OURS


Stainless steel housing
More durable
Longer life span



OTHERS

Plastic housing
Easily Ageing
Short life span

Easy installation



Model	Power	Voltage	LED Type	Size	Material
QHL-YC230-SP	12W/18W	AC12V	SMD2835	Φ230*H30mm	Stainless Steel+PC
QHL-YC300-SP	18W/25W/35W	AC12V	SMD2835	Φ300*H30mm	


Cable: 2M (Support Customization)

STAINLESS STEEL POOL LIGHT




Advantage


- Stainless Steel lamp body. Anti corrosion treatment.
 - Easy to install: Nicheless ---install directly on Wall.
 - Very firm and reliable structure.
 - VDE approved cable can be submersible underwater.
- Widely used in swimming pool, fountains, ponds, waterfall.



Easy installation



Light effects




Model	Power	Voltage	LED Type	Size	Material
QHL-YC260-2SP	18W/25W/35W/45W	AC12V	SMD2835	Φ260*H40mm	Stainless Steel+PC

Cable: 2M (Support Customization)

ULTRA THIN STAINLESS STEEL POOL LIGHT

5mm
Ultra thin




Advantage


- Fully resin filled, 100% waterproof.
- 316 stainless steel for marine water.
- Ultra slim design in 5mm thickness
- Multicolor with remote control.
- A variety of specifications are available on demand.



Easy installation



Light effects




Multi control methods



Remote control



Smart APP



Music sound
control



Voice control

Model	Power	Size	Voltage	LED Type	Material
QHL-UT110-SP	6-8W	Φ110*H5mm	DC12V	SMD2835	Stainless Steel+PC
QHL-UT160-SP	10-12W	Φ160*H5mm			
QHL-UT230-SP	18W/25W/35W/45W	Φ230*H5mm			
QHL-UT280-SP		Φ280*H5mm			

Cable: 2M (Support Customization)



ULTRA THIN RESIN FILL POOL LIGHT

7.5mm
Ultra thin



Advantage

- Fully resin filled, 100% waterproof.
- Ultra slim design in 7.5mm thickness.
- 4-wires external/wifi control method.
- A variety of specifications are available on demand.
- 50,000 hours lifetime, 10 times more than halogen bulb.



Multi control methods



Remote control



Smart APP




Music sound control




Voice control

Easy installation



RGB multi-color display



Model	Power	Size	Voltage	LED Type	Material
QHL-UT110-AP	6W	Φ110*H7.5mm	DC12V	SMD2835	ABS+Resin+PC
QHL-UT160-AP	12W	Φ160*H7.5mm			
QHL-UT230-AP	18W/25W/35W	Φ230*H7.5mm			
QHL-UT250-AP		Φ250*H7.5mm			

Cable: 2M (Support Customization)





ULTRA THIN STAINLESS STEEL POOL LIGHT




Advantage

- Fully resin filled, 100% waterproof.
- 316 stainless steel for marine water.
- Ultra slim design in 6mm thickness
- Multicolor with remote control.
- Widely used in swimming pool, fountains, ponds.



Easy installation



Light effects




Model	Power	Voltage	LED Type	Size	Material
QHL-UT250-SP	18W/25W/35W/45W	DC12V	SMD2835	Φ250*H6mm	Stainless Steel+PC

Cable: 2M (Support Customization)



ULTRA THIN RESIN FILL POOL LIGHT




Advantage

- Fully resin filled, 100% waterproof.
- Ultra slim design in 6mm thickness.
- Easy to install: Nicheless --- install directly on Wall.
- Widely used in swimming pool, fountains, ponds.
- More than 50,000 hours of life.

Light effects



Easy installation




Model	Power	Voltage	LED Type	Size	Material
QHL-UT250-AP	18W/25W/35W/45W	DC12V	SMD2835	Φ250*H6mm	ABS+PC

Cable: 2M (Support Customization)

RGB WATERFALL LAMP



Schematic diagram




RGB color display



Installation steps

1. Stable and even flowing waterfall.
2. Built-in waterproof LED adds color to the water.
3. LED is powered by external 12V DC, safe and reliable.
4. LED can be operated by panel or remote control.



Designed to fit single brick walls & limestone block walls during construction



Model	Power	Take over size (mm)	A (mm)	B (mm)	C (mm)	D (mm)	Voltage
QHL-WD300-25(L)	4W	1.5 inch 50mm	306	138	76	25	DC12V
QHL-WD600-25(L)	8W	1.5 inch 50mm	606	138	76	25	DC12V
QHL-WD900-25(L)	12W	1.5 inch 50mm	906	138	76	25	DC12V
QHL-WD1200-25(L)	17W	1.5 inch 50mm	1206	138	76	25	DC12V



CLASSIC POOL LIGHT



IP68
Waterproof



SMD 2835
Highlight Long lifespan



RGB
RGB Lighting Effect

Advantage

- Fully resin filled, 100% waterproof.
- Very firm and reliable structure.
- Easy to install: Nicheless --- install directly on Wall.
- Widely used in swimming pool, fountains, ponds.
- A variety of specifications are available on demand.



Peer comparison



OURS


ABS housing
More durable, longer life span



OTHERS

Plastic housing
Easily Ageing, short life span

Easy installation



Light effects



CW



WW



Red



Green



Blue



Yellow



RGB



RGBW

Model	Power	Voltage	LED Type	Size	Material
QHL-YC295-2A	18W/25W/35W/45W	AC12V	SMD2835	Φ295*H70mm	ABS+PC

Cable: 2M (Support Customization)

CLASSIC POOL LIGHT



IP68
Waterproof



SMD 2835
Highlight Long lifespan




RGB
RGB Lighting Effect

Advantage

- Fully resin filled, 100% waterproof.
- Very firm and reliable structure.
- Easy to install: Nicheless --- install directly on Wall.
- Widely used in swimming pool, fountains, ponds.
- A variety of specifications are available on demand.



Peer comparison



OURS


ABS housing
More durable, longer life span



OTHERS

Plastic housing
Easily Ageing, short life span

Easy installation



Light effects



CW



WW



Red



Green



Blue



Yellow



RGB



RGBW

Model	Power	Voltage	LED Type	Size	Material
QHL-YC230-A	6W/9W/12W	AC12V	SMD2835	Φ230*H58mm	ABS+PC
QHL-YC295-A	12W/18W/25W/35W/45W	AC12V	SMD2835	Φ295*H70mm	ABS+PC

Cable: 2M (Support Customization)



POPULAR POOL LIGHT



Advantage

- Fully resin filled, 100% waterproof.
- Very firm and reliable structure.
- Easy to install: Nicheless ---install directly on Wall.
- Widely used in swimming pool, fountains, ponds .
- A variety of specifications are available on demand.

Easy installation




One remote control can control <30 pool lights at the same time

Model	Power	Voltage	LED Type	Size	Material
QHL-YC292-A	18W/25W/35W/45W	AC12V	SMD2835	Φ292*H70mm	ABS+PC

Cable: 2M (Support Customization)

RESIN FILLED SLIM PAR56 LED POOL LIGHT



Compatible environment

This light source can replace these swimming pool lights



Wall mounted
swimming pool



Embedded pool



Plastic swimming pool

Advantage

- Full resin filled, 100% waterproof.
- Ultra thin design in 28mm only.
- Yellowish-resistance after long time use.
- Works with frame to be wall mounted light.
- PAR56 LED Pool lamp, Ideal to replace halogens.




QHL-P56-AP



QHL-P56-2AP

RGB multi-color display




Lamp wiring diagram



SMD2835 LED

Full resin filled



Model	Power	Voltage	LED Type	Size	Material
QHL-P56-AP	18W/25W/35W/45W	AC12V	SMD2835	Φ177*H28mm	ABS+PC
QHL-P56-2AP					



Par56 Pool Light Replacement



IP68

Fully resin filled, 100% waterproof



Easy Installation

Ideal replacement for niche PAR56



Long life span

50,000 hours lifetime, 10 times more than hgsgen bulb

Material optional



PC



Stainless steel



Glass



RGB multi-color display



Installation steps

1. Put the shell on the pool wall.
2. Connecting external devices and par56 bulbs.
3. Connect the wire to 12V converter(lamp can't connect to 220V power directly)
4. Fix the fixture with screws.



Model	Power	Voltage	LED Type	Size	Material
QHL-P56-A	12W/18W/25W/35W/45W	AC12V	SMD2835	Φ178*H108mm	Plastic+ABS

19

One-stop Pool Solution

Par56 Pool Light Replacement



Stainless Steel

High temperature resistant



IP68

Fully resin filled, 100% waterproof



Easy Installation

Ideal replacement for niche PAR56



Long life span

50,000 hours lifetime, 10 times more than hgsgen bulb



QHL-P56-S

QHL-P56-SS

Peer comparison



OURS


Stainless steel housing
More durable, longer life span



OTHERS

Plastic housing
Easily Ageing, short life span

Environment



Ideal replacement for niche PAR56. Low energy consumption
Easy to install and easy to use. Long useful life. There is no risk of overheating.

Material optional



PC




Stainless steel



Glass

Dimension



RGB



Model	Power	Voltage	LED Type	Size	Material
QHL-P56-S	12W/18W/25W/35W/45W	AC12V	SMD2835	Φ178*H108mm	Stainless Steel+ABS
QHL-P56-SS					



Par56 Pool Light Replacement

IP68

Fully resin filled, 100% waterproof

Easy Installation

Ideal replacement for niche PAR56

SMD 2835

Highlight Long lifespan

Advantage

- PAR56 LED Pool lamp, Ideal to replace halogens.
- Complete sealing to prevent any water leak.
- 50,000 hours lifetime, 10 times more than halogen bulb.
- Bottom terminals with strong electrical conductivity.
- Suitable for EU market and promotion.





```

graph TD
    A[par56] --- B[concrete floor]
    A --- C[coating film]
    A --- D[Stainless steel surface]
  
```

Material optional



PC
Stainless steel
Glass

RGB multi-color display



Model	Power	Voltage	LED Type	Size	Material
QHL-P56-TG	12W/18W/25W/35W/45W	AC12V	SMD2835	Φ178*H108mm	Glass+ABS

21


One-stop Pool Solution

EMBEDDED LED POOL LIGHT




Compatible environment

PAR56 light source is easy to replace



Advantage


- Full resin filled, 100% waterproof.
- PAR56 light source is easy to replace.
- Yellowish-resistance after long time use.
- Easy to install: embedded installation.
- Widely used in swimming pool, fountains, ponds .



RGB multi-color display



Lamp wiring diagram



Model	Power	Voltage	LED Type	Size	Material
QHL-QR290-A	18W/25W/35W/45W	AC12V	SMD2835	Φ290*H165mm	ABS+PC

IP68 waterproof connector



Model:QHL-JX-2



Model:QHL-JX-3




Model:QHL-JX-4

RGB controller



Model:QHL-KZ-60



Model:QHL-KZ-80

Waterproof power transformer



Model:QHL-BY



ZHONGSHAN CYAN GOURD LIGHTING CO., LTD

Address: 4th Floor, Building B, No. 310, Jucheng Avenue, Xiaolan Town, Zhongshan City, GuangDong, China.

Chinese address: 广东省中山市小榄镇菊城大道310号鑫浩源大厦4楼

Zip code: 528415 Tel: +86 181 2521 7679 +86 137 0245 0919

Email: info@cyangourd.com Website: www.cyangourd.com